

CSFA FILLER ACTIVATOR

Section 1. Identification of the substance/mixture and of the company/undertaking

Product Name: CSFA Filler Activator

Supplier: CSNRI | 621 Lockhaven Drive. Houston, TX 77073 | +1 281.590.8491

Emergency Phone Number: 800.424.9300 (CHEMTREC)

+1 703.741.5970 (Outside the US)

Product Description: Resin activator

Product Use: For industrial purposes only.

Chemical Name or Synonym: CSFA-P001-2

Section 2. Hazards identification

Classification of the substance or mixture

Skin Corrosion / Irritation – Category 2 Skin Sensitization – Category 1

Serious Eye Damage / Irritation – Category 2

Label Elements:



Signal word: Warning **Hazard statements:**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation

Precautionary statement:

P261 - Avoid breathing dust/fume / gas / mist / vapours / spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - P333+P313 - If skin irritation or rash occurs: Get medical advice /attention.

P305 - P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rising.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Other information: None known

Section 3. Composition/Information on Ingredients

Substances:

Component	CAS#	Weight %
Calcium carbonate	471-34-1	20 – 40



CSFA FILLER ACTIVATOR

Epoxy Resin:-reaction Product of Bisphenol A and Epichlorohydrin	25068-38-6	20 – 40
Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl Phthalate	16883-83-3	10 – 20
Dibutyl Maleate	105-76-0	10 – 20
Acrylonitrile Styrene Acrylate Copolymer	26299-47-8	2.5 – 10
Dibenzoyl Peroxide	94-36-0	2.5 – 10
Isodecyl Benzoate	131298-44-7	1 – 2.5

Section 4. First Aid Measures

First Aid Measures for Accidental:

Ingestion: If swallowed, do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Inhalation: Remove to fresh air and seek medical attention. In case of unconsciousness place patient stably inside position for transportation.

Skin Contact: Flush contaminated skin with plenty of soap and water for 15 to 20 minutes, remove contaminated shoes and clothing. Consult physician if symptoms develop.

Eye Contact: Flush with plenty of water for at least 20 minutes. Check for and remove any contact lenses. Call a doctor immediately.

<u>Most important symptoms/effects, acute and delayed</u>: Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

<u>Indication of immediate medical attention and special treatment needed</u>: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Section 5. Fire Fighting Measures

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture: During fire, gases hazardous to health may be formed.

Hazardous Decomposition Materials (Under Fire Conditions): No data available.

Special Protective Equipment and Precautions for Fire Fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and materials for containment and cleaning up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place



CSFA FILLER ACTIVATOR

into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination

Section 7. Handling and Storage

Precautions for safe handling: Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage including any incompatibilities: Keep container tightly closed in a cool, well ventilated place. Store in a dry place. Keep away from heat sources and direct sunlight. Store away from oxidizing agents.

Section 8. Exposure Controls / Personal Protection

Exposure Guidelines:

Component	OSHA	ACGIH	NIOSH
Calcium carbonate	PEL - 5 mg/m ³ (respirable fraction)	-	10 mg/m³ (Total dust) 5 mg/m³ (respirable fraction)
Dibenzoyl Peroxide	PEL - 5 mg/m ³	TWA - 5 mg/m ³	TWA - 5 mg/m ³

Appropriate engineering controls: Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Personal protective equipment:

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Respiratory Protection: Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

Eye / Face Protection: Wear tightly sealed goggles. Safety glasses with side shields. Use full face shield over protective eye wear when there is a risk of a splash.

Skin Protection: Wear chemical resistant impervious gloves and suitable protective clothing. **Environmental exposure controls:** Do not allow material to contaminate ground water system.

Section 9. Physical and Chemical Properties

Appearance (color): Paste, Orange

Odour: Slight **pH:** 7 – 9

Melting point range:

Initial Boiling point/boiling range:

Not applicable

No data available

Flash Point: 285.8 °F (141.0 °C) estimated

Evaporation rate:

Flammability (solid, gas):

Upper/lower flammability or explosive limits:

Vapour pressure:

Not applicable

No data available

0.0004 hPa estimated



CSFA FILLER ACTIVATOR

Vapour density: No data available

Density: 1.29 g/cm³

Specific gravity:

Solubility in water:

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available

No data available

No data available

No data available

Explosive properties: Not explosive

Flammability class: Combustible IIIB estimated

Oxidizing properties: Not oxidizing.

Section 10. Stability and Reactivity

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: No decomposition if used according to specifications. **Possibility of hazardous reactions:** No dangerous reactions known.

Conditions to avoid: Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: No hazardous decomposition products are known.

Section 11. Toxicological Information

Information on toxicological effects:

Information on likely routes of exposure

Inhalation: Prolonged inhalation may be harmful.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Eye contact: Causes serious eye irritation.

Ingestion: Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics:

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

Acute toxicity: Not known for the final mixture.

Calcium Carbonate (Cas 471-34-1)

Oral: LD50, Rat: 6,450 mg/kg Dibenzoyl Peroxide (Cas 94-36-0) Oral: LD50, Rat: 7,710 mg/kg

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Respiratory sensitization: Not a respiratory sensitizer. Skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1%

are mutagenic or genotoxic.

Carcinogenicity: Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity



CSFA FILLER ACTIVATOR

Dibenzoyl Peroxide (CAS 94-36-0) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053): Not listed. US. National Toxicology Program (NTP) Report on Carcinogens: Not listed.

Reproductive toxicity: This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure: Not classified. Specific target organ toxicity - repeated exposure: Not classified.

Aspiration hazard: Not an aspiration hazard.

Chronic effects: Prolonged inhalation may be harmful

Section 12. Ecological Information

Aquatic toxicity: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Mobility in soil: No data available

Persistence and degradability: data available

Bioaccumulative potential:

Partition coefficient n-octanol / water (log Kow): Dibenzoyl Peroxide: 3.46

Section 13. Disposal Considerations

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose in accordance with all applicable regulations.

Hazardous waste code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport Information

DOT, IMDG, IATA:

Proper shipping name: Not regulated

UN number: Not regulated
Hazard Class: Not regulated
Packing group: Not regulated
Environmental hazards: Not applicable.
Special precautions for user: Not applicable

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Transport/Additional information: Limited quantities are allowed. Refer to 49 CFR for conditions that apply.

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Section 355 (extremely hazardous substances): None of the ingredients is listed Section 313 (Specific toxic chemical listings):



CSFA FILLER ACTIVATOR

- Dibenzoyl peroxide

TSCA (Toxic Substances Control Act): All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.

SARA 304 Emergency release notification: Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053): Not listed.

SARA 302 Extremely hazardous substance Superfund Amendments and Reauthorization Act of 1986 (SARA): Not listed.

Section 16. Other Information

HMIS Ratings:

Health Hazard: 2 Fire Hazard: 1 Physical Hazard: 1

NFPA Ratings:

Health Hazard: 2 Fire Hazard: 1 Physical Hazard: 1

Key Legend Information:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. CSNRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. CSNRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material. CSNRI DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM PATENT INFRINGEMENT. CSNRI WILL NOT BE LIABLE FOR ANY SPECIAL. INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Date of issue: 30/11/2015 **Revision date:** 09/19/2022 **Supersedes:** 07/27/2021 **Version:** 5.0