

According to 29 CFR 1910.1200(g)

#### **DENSO HI-TACK TAPE**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Denso Hi-Tack Tape

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use Industrial use as a protective barrier in prevention of corrosion.

Restricted Use Not intended for use by general public.

1.3. Details of the supplier of the safety data sheet

Company Denso North America
Address 9747 Whithorn Drive
Houston, TX 77095

 Web
 www.densona.com

 Telephone
 1 (281) 821-3355

 Fax
 1 (281) 821-0304

 Email
 info@densona.com

1.4. Emergency telephone number

Emergency telephone

number (24 Hour)

1-801-629-0667

#### **SECTION 2: Hazards Identification**

2.1. Classification of the substance or mixture

2.1.1. Health No significant hazard

2.1.2. Environmental No significant hazard

2.1.3. Physical No significant hazard

2.2. Label elements

Hazard pictograms

Signal Word

Hazard statement No significant hazard.

Precautionary Statement:

Prevention

No significant hazard.

**Precautionary Statement:** 

Response

No significant hazard.

**Precautionary Statement:** 

Disposal

No significant hazard.

DENSO HI-TACK TAPEPage 1 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



According to 29 CFR 1910.1200(g)

3.1. Substances			
Chemical Name	CAS No. Concentration		
NOTES:	This product does not contain any sub	ostances classified as hazardous to health.	
SECTION 4: First aid meas	ures		
4.1. General advice		stopped or is labored, give assisted respirations. ed. If the heart has stopped, trained personnel itation immediately.	
4.2. Eye contact		f water for at least 15 minute, occasionally lifting for and remove any contact lenses. Get medical	
4.3. Skin contact	further exposure. Wash clothing before For contact with hot product, flush	e event of any complaints or symptoms, avoid ore reuse. Clean shoes thoroughly before reuse. contaminated skin with large amounts of cold n clean cotton sheeting or gauze. Get medical	
4.4. Ingestion	person is conscious, give small quar person feels sick as vomiting may be directed to do so by medical personn low so that vomit does not enter the effects persist or are severe. Never person. If unconscious, place in	naterial has been swallowed and the exposure ntities of water to drink. Stop if the exposed be dangerous. Do not induce vomiting unless nel. If vomiting occurs, the head should be kept lungs. Get medical attention if adverse health er give anything by mouth to an unconscious recovery position and get medical attention way. Loosen tight clothing such as a collar, tie,	
4.5 Inhalation	breathing is irregular or if respirator oxygen by trained personnel. It may be mouth-to-mouth resuscitation. Get mor are severe. If unconscious, place	eep person warm and at rest. If not breathing, if ry arrest occurs, provide artificial respiration or be dangerous to the person providing aid to give nedical attention if adverse health effects persist in recovery position and get medical attention way. Loosen tight clothing such as a collar, tie,	
4.6. Most important symportant sy	tant symptoms and effects, both acute and delayed  May cause irritation to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	May cause nausea and vomiting.		
Inhalation	Product is solid. Inhalation may cause	e difficulty breathing or suffocation.	
DENSO HI-TACK TAPE	Page <b>2</b> of <b>10</b>	Print Date: 9 July 20	

DENSO HI-TACK TAPEPage 2 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



### According to 29 CFR 1910.1200(g)

SECTION 5: Firefighting measu	ıres
5.1. Suitable extinguishing	Alcohol-resistant foam, Carbon dioxide (CO2), Dry chemical, Dry sand, Limestone
media	powder. Do not use a solid water stream as it may scatter and spread fire.
F.2. Consider because	Decrees this area destances in the fall section are the same distribution
5.2. Specific hazards	Decomposition products may include the following materials: carbon dioxides.
	Downwind personnel must be evacuated. Burning produces noxious and toxic fumes.
5.3. Special protective	Fire-fighters should wear appropriate personal protective equipment and self-
equipment for fire-fighters	contained breathing apparatus (SCBA) with a full face-piece operated in positive
	pressure mode.
<b>SECTION 6: Accidental release</b>	measures
6.1. Personal precautions	No action shall be taken involving any personal risk or without suitable training. As
	this product is a paste, simply wear protective gloves and recover material from
	release area (see section 8).
6.2 Environmental	Avoid disposed of chilled material and support and contact with soil waterways drains
6.2. Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental
precautions	pollution (sewers, waterways, soil or air).
	ponution (sewers, waterways, son or any.
6.3. Methods for cleaning up	Prevent entry into sewers or water courses. Collect spillage.
6.4. Additional advice	Note: see Section 8 for personal protective equipment and Section 13 for waste
	disposal.
SECTION 7: Handling and stora	200
7.1. Handling	Put on appropriate personal protective equipment (see Section 8). Adopt best
7.1. Handing	manual handling practices when handling, carrying and dispensing.
	manda na
7.2. Storage	Store in accordance with local regulations. Store in original container protected from
	direct sunlight in a cool area, away from sparks, flames, heat and sources of ignition.
SECTION 8: Exposure controls	/personal protection
<ul><li>8.1. Control parameters</li><li>8.1.1. Exposure Limit Values</li></ul>	Not regulated.
6.1.1. Exposure Limit values	Not regulated.
8.2. Control measures / Persor	nal Protection
8.2.1. Recommended	None required.
monitoring procedures	
8.2.2. Engineering measures	None required.
0.2.2 Ukusiana	Week hands foregoing and fore often handling shoulded and dusts before a con-
8.2.3. Hygiene measures	Wash hands, forearms, and face after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period.
	Smoking of using the lavatory and at the end of the working period.

DENSO HI-TACK TAPEPage 3 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



According to 29 CFR 1910.1200(g)

8.2.4. Respiratory protection None required.

8.2.5. Eye protection None required.

8.2.6. Skin protection Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before handling this product. This equipment may include, but is not limited to, impervious gloves. The breakthrough time of the selected protective glove(s) must be greater

than the intended use period.

8.2.7. Environmental exposure controls

None required.

#### **SECTION 9: Physical and chemical properties**

Form	Solid	Vapor Pressure	ND
Color	Brown/Green	Relative vapor density	N/A
Odor	Mild	Relative density	>1
Odor threshold	ND	Water solubility	Insoluble
рН	about 7	Partition coefficient (n-octanol/water)	ND
Melting point	>140°F (60°C)	Auto-ignition temperature	ND
Boiling point	ND	Decomposition temperature	ND
Flash Point	>200°F (93°C)	Viscosity	N/A
Evaporation rate	N/A	Oxidizing	N/A
Flammable Limits	ND	Explosion Limits	ND

#### **SECTION 10: Stability and reactivity**

10.1 Stability The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.2. Conditions to avoid Stable under normal conditions.

10.3. Materials to avoid Keep away from food, drink and animal foodstuffs.

10.4. Other hazards Keep away from heat, sparks, and open flames.

10.5. Hazardous Will not decompose if stored and used as recommended. If decomposition occurs,

decomposition products products may include the following materials: Carbon oxides

#### **SECTION 11: Toxicological information**

11.1. Acute health hazard **Product:** 

Acute oral toxicity: ND
Acute dermal toxicity: ND

11.2. Skin corrosion or **Product:** 

irritation Remarks: None expected, but may be irritating to skin in susceptible persons.

DENSO HI-TACK TAPEPage 4 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



According to 29 CFR 1910.1200(g)

11.3. Serious eye damage or

irritation

Product:

Remarks: None expected, but may be irritating to the eye in susceptible persons if

direct contact occurs.

11.4. Respiratory or skin

sensitization

**Product:** 

Remarks: None expected.

11.5. Germ cell mutagenicity

Product:

Remarks: Not likely to have significant mutagenic effects based on components.

11.6. Carcinogenicity

**Product:** 

Remarks: Not likely to be classifiable as a human carcinogen based on components.

11.7. Reproductive toxicity

**Product:** 

Remarks: Not likely to have adverse effects on sexual function, fertility, and/or on

development based on components.

11.8. STOT - single exposure

**Product:** 

Remarks: None known, but irritation to skin and eyes is possible in susceptible

persons.

11.9. STOT - repeated

exposure

**Product:** 

Remarks: None known, but irritation to skin and eyes is possible in susceptible

persons.

11.10. Repeated dose toxicity

**Product:** 

Remarks: None known.

11.11. Aspiration toxicity

**Product:** 

Remarks: None known

11.12. Further information

Likely routes of exposure – skin and eye contact.

#### **SECTION 12: Ecological information**

12.1. Ecotoxicity

**Product:** 

Remarks: No data available.

12.2. Persistence and

degradability

**Product:** 

Remarks: No data available.

12.3. Bioaccumulative

potential

**Product:** 

Remarks: No data available.

12.4. Mobility in soil

**Product:** 

Remarks: No data available.

**DENSO HI-TACK TAPE** 

MSDS: 7008

Page 5 of 10
Revision Number: 1.0

Print Date: 9 July 2015 Revision Date: 9 July 2015



According to 29 CFR 1910.1200(g)

12.5. Other adverse effects

#### **Product:**

Remarks: No data available. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### **SECTION 13: Disposal considerations**

13.1. Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements. Avoid disposal of spilled material and runoff and contaminated soils in waterways, drains or sewers. Dispose of contaminated containers, soils, etc. in compliance with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements. Empty any remaining contents from packaging prior to disposal and dispose of as unused product. Do not reuse empty containers.

#### **SECTION 14: Transport information**

14.1. UN number Not Regulated

14.2. UN proper shipping

name

Not Regulated

14.3. Transport hazard class International Carriage of Dangerous Good by

Road/Rail

International Maritime

international Maritim

Dangerous Goods

International Air Transport

Association

US Code of Federal

Regulations
Canadian Transportation of

Dangerous Goods

US Department of

Transportation

ADR/RID:

None

Not Regulated

Not negulate

IMDG: Not Regulated

IATA: Not Regulated

CFR Not Regulated

TDG: Not Regulated

. Der riegaratea

DOT: Not Regulated

14.4. Packing group Not regulated

14.5. Environmental hazards Environmental hazards: No Marine pollutant: No

#### **SECTION 15: Regulatory information**

15.1. OSHA Hazards

DENSO HI-TACK TAPEPage 6 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



### According to 29 CFR 1910.1200(g)

15.2. CERCLA Reportable Quantity	Components CAS No. Component RQ Product RQ None
15.3. SARA 314 Extremely Hazardous Substances Reportable Quantity	This material does not contain any components with section 314 EHS RQ.
15.4. SARA 311/312 Hazards	None
15.5. SARA Title III, Section 302 Reporting	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
15.6. SARA Title III, Section 313 Reporting	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313
15.7. Clean Air Act	The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61): None
	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).
	The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): None
15.8. Clean Water Act	The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 116.4A: None
	The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 117.3: None
	This product contains the following toxic pollutants listed under the U.S. Clean Water Act, Section 307: None
15.9. US State Regulations	Massachusetts Right-To-Know None Pennsylvania Right-To-Know None New Jersey Right-To-Know None
	California Prop 65 This product contains no chemicals known to the State of California to cause cancer or act as a reproductive hazard.
45.40.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	

15.10. International Chemical Inventory Listing

TSCA (US)

Yes (All components of this product are on US inventory)

Yes (All components of this product are on Canadian inventory)

AICS (Australia)

Yes (On Australian inventory or in compliance with inventory)

Yes (On New Zealand inventory or in compliance with inventory)

DENSO HI-TACK TAPEPage 7 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



### According to 29 CFR 1910.1200(g)

ENCS (Japan)
ISHL (Japan)

KECI (Korea)

PICCS (Philippines)

IECSC (China)

Yes (On Japanese inventory or in compliance with inventory)

Yes (On Japanese inventory or in compliance with inventory)

Yes (On Korean inventory or in compliance with inventory)

Yes (On Philippine inventory or in compliance with inventory)


Yes (On Chinese inventory or in compliance with inventory)

#### 15.11. WHMIS Hazard Classification (Canada)

None.

#### **SECTION 16: Other information**

16.1. NFPA



16.2. HMIS®



Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS ratings are not required on SDS's under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS ratings are to be used with a fully implemented HMIS program. HMIS is a registered mark of the National Paint & Coatings Association (NPCA). HMIS materials may be purchased exclusively from J.J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

16.3. Text of Risk phrases in Section 3

16.4. Text of Hazard statements in Section 3

16.5. Notice to Reader

The information provided herein was believed by Denso North America ("Denso") to be accurate at the time of preparation and prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Denso are subject to Denso's terms and conditions of sale. DENSO MAKES NO WARRANTY, EXPRESS OR IMPLIED,

DENSO HI-TACK TAPEPage 8 of 10Print Date: 9 July 2015MSDS: 7008Revision Number: 1.0Revision Date: 9 July 2015



### According to 29 CFR 1910.1200(g)

CONCERNING THE PRODUCT OR THE MECHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY DENSO, except that the product shall conform to Denso's specifications. Nothing contained herein constitutes an offer for the sale of any product.

16.6. Key/Legend to abbreviations and acronyms used in the safety data sheet ACGIH American Conference Government Industrial Hygienists

**AICS** Australia, Inventory of Chemical Substances

DSL Canada, Domestic Substances List

NDSL Canada, Non-Domestic Substances List

CAS **Chemical Abstract Service** CNS Central Nervous System EC50 Effective Concentration 50%

EGEST EOSCA Generic Exposure Scenario Tool

**EOSCA** European Oilfield Specialty Chemicals Association **EINECS** European Inventory of Existing Chemical Substances ENCS Japan, Inventory Existing and New Chemical Substances

GHS **Global Harmonization System** 

IDLH Immediately Dangerous for Life and Health Concentrations

IARC International Agency for Research on Cancer

IC50 **Inhibition Concentration 50%** 

IECSC Inventory of Existing Chemical Substances in China

KECI Korea, Existing Chemical Inventory

LC50 Lethal Concentration 50%

LD50 Lethal Dose 50%

LOAEL Lowest Observed Adverse Effect Level MAK **Germany Maximum Concentration Values** 

N/A Not Applicable ND Not Determined

NFPA National Fire Protection Agency

NIOSH National Institute for Occupational Safety & Health

NOAEL No Observable Adverse Effect Level NOEC No Observed Effect Concentration NTP **National Toxicology Program** NZIoC New Zealand Inventory of Chemicals

OSHA Occupational Safety & Health Administration

PEL Permissable Exposure Limit

PICCS Philippines Inventory Commercial Chemical Substances

PRNT Presumed Not Toxic

RCRA Resource Conservation Recovery Act

SARA Superfund Amendments and Reauthorization Act

STEL **Short-Term Exposure Limit** TLV Threshold Limit Value TSCA **Toxic Substance Control Act** 

TWA Time Weighted Average

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological

Materials

**DENSO HI-TACK TAPE** Page **9** of **10** Print Date: 9 July 2015 **Revision Number: 1.0** MSDS: 7008 Revision Date: 9 July 2015



According to 29 CFR 1910.1200(g)

WHMIS Workplace Hazardous Materials Information System

16.7. Prepared by

Denso EH & S Department

16.8. Telephone

1-281-821-3355 Corporate 1-801-629-0667 Emergency (24 hour)

DENSO HI-TACK TAPE
Page 10 of 10
Print Date: 9 July 2015
MSDS: 7008
Revision Number: 1.0
Revision Date: 9 July 2015