



# Canusa-CPS DDX

### **SECTION 1. IDENTIFICATION**

Product Identifier Canusa-CPS DDX
Product Family Heat shrink sleeve

**Recommended Use** Corrosion protection and sealant.

Manufacturer/Supplier CANUSA-CPS, A DIVISION OF SHAWCOR LTD., 25 BETHRIDGE ROAD, TORONTO, ON,

**Identifier** M9W 1M7, (416) 743-7111

Emergency Phone No. Canusa, (613) 996-6666 (CANUTEC)

**SDS No.** 0086

# **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Not classified under any hazard class.

#### **Label Elements**

Not applicable

### Other Hazards

Harmful vapours may be released during overheating. Vinyl acetate is listed by IARC as a potential human carcinogen. Carbon black is classified as a possible human carcinogen; when encapsulated, risk of exposure is reduced and should not a present a health hazard.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	%	Other Identifiers
Polyethylene, high-density	9002-88-4	20-60	
Acetic acid, ethenyl ester, polymer with ethene, rubber	24937-78-8	10-20	
Carbon black	1333-86-4	1.1	
Vinyl acetate	108-05-4	<0.1	

#### Notes

This product is a manufactured article.

# **SECTION 4. FIRST-AID MEASURES**

# **First-aid Measures**

### Inhalation

Move to fresh air. If experiencing respiratory symptoms (e.g. coughing, shortness of breath, wheezing), call a Poison Centre or doctor.

#### **Skin Contact**

Wash with plenty of water. If burned by contact with molten material cool with water for at least 15 minutes and see a physician immediately; do not peel off from skin.

#### **Eve Contact**

Flush with water for 15 minutes. If eye irritation persists, get medical advice or attention.

Product Identifier: Canusa-CPS DDX

SDS No.: 0086

Date of Preparation: March 07, 2013

Page 01 of 04

# Ingestion

If large quantities are swallowed, seek medical attention. Do not induce vomiting unless directed by a medical personnel.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

### Suitable Extinguishing Media

Water spray; dry chemical; carbon dioxide; foam.

### Specific Hazards Arising from the Product

Aldehydes. Ketones. Oxides of nitrogen. Oxides of carbon. Hydrocarbon products. Organic acids. Alcohols. Vinyl acetate. Acetic acid.

#### Special Protective Equipment and Precautions for Fire-fighters

Avoid high pressure. Direct water stream that may spread molten or burning resins.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment, and Emergency Procedures

Wear appropriate personal protective equipment.

### Methods and Materials for Containment and Cleaning Up

Sweep or shovel into a container for reuse or disposal.

### **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Avoid overheating. Do not breathe fumes produced during overheating or burning.

# **Conditions for Safe Storage**

Store in an area that is: cool, dry, ventilated.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Polyethylene, high-density	Not established		Not established			
Acetic acid, ethenyl ester, polymer with ethene, rubber	5 mg/m3		15 mg/m3			
Carbon black	3 mg/m3 A3		Not established			
Vinyl acetate	10 ppm	15 ppm	10 ppm			

### **Appropriate Engineering Controls**

General ventilation is usually adequate.

#### **Individual Protection Measures**

### **Eye/Face Protection**

Safety goggles recommended during flame heating.

#### **Skin Protection**

Long sleeves and pants. Heat resistant footwear if potential contact with hot/molten material.

#### **Respiratory Protection**

Wear a NIOSH approved respirator during application/handling.

Product Identifier: Canusa-CPS DDX

SDS No.: 0086

Date of Preparation: March 07, 2013

Page 02 of 04

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# **Basic Physical and Chemical Properties**

Odour Odourless
Relative Density (water = 1) 0.90 - 0.99

**Solubility** Insoluble in water **Decomposition Temperature** > 300 °C (572 °F)

Other Information

Physical State Solid

Other Physical Property 1 Adhesive coated plastic.

### **SECTION 10. STABILITY AND REACTIVITY**

# **Chemical Stability**

Normally stable. Hazardous polymerizations will not occur.

### **Conditions to Avoid**

High temperatures. Temperatures above 150.0 °C (302.0 °F)

### **Incompatible Materials**

Strong acids. oxidizing chemicals. Organic solvents. Ether.

### **Hazardous Decomposition Products**

Hydrocarbons. Aldehydes. Organic acids. Alcohols. Ketones; vinyl acetate. acetic acid. Oxides of carbon.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Polyethylene, high-density		> 2000 mg/kg (rat)	
Acetic acid, ethenyl ester, polymer with ethene, rubber		2500 mg/kg (rat)	
Carbon black	6750 mg/m3 (4-hour exposure)		
Vinyl acetate	3250-4100 ppm (rat) (4-hour exposure)	2900 mg/kg (rat)	2300 mg/kg (rabbit)

### Skin Corrosion/Irritation

May cause very mild irritation based on information for closely related chemicals.

### Serious Eye Damage/Irritation

Mechanical irritation.

# STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

Vapours released during decomposition may cause irritation.

# Ingestion

May cause irritation of the digestive tract.

# STOT (Specific Target Organ Toxicity) - Repeated Exposure

None known.

### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA

Product Identifier: Canusa-CPS DDX

SDS No.: 0086

Date of Preparation: March 07, 2013

Page 03 of 04

Polyethylene, high-density	Not Listed	Not designated	Not Listed	Not Listed
Acetic acid, ethenyl ester, polymer with ethene, rubber	Not Listed	Not designated	Not Listed	Not Listed
Carbon black	Group 2B	A3	Not Listed	Not Listed
Vinyl acetate	Group 2B	A3	Not Listed	Not Listed

Some small components are listed as carcinogens, but they are bound in the matrix of the product and not available for inhalation.

# **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No information was located.

#### **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Vinyl acetate	18 mg/L (Lepomis macrochirus (bluegill); 48-hour; fresh water; static)			

### Persistence and Degradability

No information was located.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose of in compliance with all federal, state, provincial, municipal and local legislation.

### **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

# Safety, Health and Environmental Regulations

The regulatory information provided is not intended to be comprehensive. Other local, state, provincial, federal international or country specific regulations may apply to this material. This product has been classified in accordance with the hazard criteria of the controlled products regulations (CPR) and the MSDS contains all the information required by the CPR.

### **SECTION 16. OTHER INFORMATION**

SDS Prepared By
Phone No.
416 743-7111

Date of Preparation
Date of Last Revision

October 09, 2015

**Key to Abbreviations** IARC = International Agency for Research on Cancer

NIOSH = National Institute for Occupational Safety and Health

Product Identifier: Canusa-CPS DDX

SDS No.: 0086

Date of Preparation: March 07, 2013

Created using CANVrite